



FOTB-X12A/B

12 Adapter Slot, 12 Splice, Fiber Optic Termination Box, 14 Ports

FIBERTRONICS 



A very versatile, lockable, surface-mounting fiber optic termination box

Fiber Optic Termination Boxes are great for joining fiber optic cable and pigtails. By providing a safe and secure housing they protect fiber optic splices and enable easy distribution. They are primarily used within the telecommunications industry and network equipment rooms.

Product Features

- Lockable
- Small and light-weight
- Reliable and durable
- Easy installation
- Simple maintenance
- Anti-UV, water-proof, dust-proof, anti-aging, protection level up to IP65
- Can accommodate 1x8 or 1x4 PLC Splitters
- 2 Main ports for 1 loop cable or 2 cables with maximum diameter of 12mm
- The reserved port is for cables with maximum diameter of 12mm
- The 12 small ports, each can hold 1 drop cable
- Bend radius > 30mm

12 Adapter Slot, 12 Splice, Termination Box with 14 Ports

FOTB-X12A \ FOTB-X12B

All measurements are in millimeters unless otherwise stated



Technical Specifications

Adapter Capacity	12 Adapters
Splice Trays	01 Splice Tray
Splice Capacity	12 Splices
Ports	2 Input Ports Ø12mm (0.47"), 12 Output Ports Ø3mm (0.11")
Material	Polycarbonate Plastic
Height	258mm (10.15")
Width	207mm (8.14")
Depth	64mm (2.51")
Color	Gray

Accessories

Below is a list of the accessories that are included with this product.

Keys:	2
Cable Ties:	12
Tape Rolls:	1
Splices:	12
Screws:	2
Expansion Anchors:	4
Cable Tubes:	2
Rubber Rings:	1 x Pack